

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FIL | ING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|----------------------|-------------------------|---------------|----------------------|-------------------------|------------------|
| 10/796,011 | 03 | /10/2004 | Keijiro Take | 249315US-6 DIV | 2660 |
| 22850 | 7590 | 12/13/2004 | | EXAMINER | |
| • | • | ICCLELLAND, 1 | PHAN, TRI H | | |
| 1940 DUKI ALEXAND | STREET RIA, VA 22314 | | | ART UNIT | PAPER NUMBER |
| | , | | | 2661 | ·· |
| | | | | DATE MAILED: 12/13/2004 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| Office Action Summany | 10/796,011 | TAKE, KEIJIRO | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Tri H. Phan | 2661 | | | | |
| The MAILING DATE of this communication ap | ppears on the cover sheet with the c | orrespondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a report of the period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by statuted the period for reply will be period for reply will | 136(a). In no event, however, may a reply be tin oly within the statutory minimum of thirty (30) day of will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE. | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on 31 A | August 2004. | | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |
| 3) Since this application is in condition for allows | _ | | | | | |
| closed in accordance with the practice under | closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | |
| 4) ⊠ Claim(s) 3-6 is/are pending in the application. 4a) Of the above claim(s) 1 and 2 is/are withd 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 3-6 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/ | rawn from consideration. | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examin | cepted or b) objected to by the lead of a drawing of the held in abeyance. See ction is required if the drawing (s) is objection is required if the drawing (s). | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). | | | | |
| Priority under 35 U.S.C. § 119 | • | | | | | |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list | nts have been received. Its have been received in Applicationity documents have been received in Applicationity documents have been received in the contract of the contract o | on No. <u>09/156,703</u> . ed in this National Stage | | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date. | | | | | | |
| Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date <u>1-3</u>. | _ | ate atent Application (PTO-152) | | | | |

DETAILED ACTION

Response to Amendment/Arguments

1. This Office Action is in response to the Preliminary Amendment filed on August 31st, 2004. Claims 1-2 are now canceled and new claims 3-6 are added. Claims 3-6 are now pending in the application.

Priority

Acknowledgment is made of applicant's claim for foreign priority under 35
 U.S.C. 119(a)-(d). The certified copy has been filed in parent Application No. 09/156,703 filed on 09/18/1998.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/796,011

Art Unit: 2661

4. Claims 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al. (U.S.5,740,168) in view of Adachi (U.S.6,084,884).

Page 3

- In regard to claims 3 and 5, Nakamura discloses in Figs. 3A-B, 2A-B, 4, 20A-B, 25 and in the respective portions of the specification about the method and apparatus for switching radio link in the mobile communication employing code division multiple access 'CDMA' for radio access between base station and mobile station (For example see Abstract; col. 5, lines 10-30); wherein each base station's transceiver unit ("base station") under the control of the base station control unit ("base station controlling apparatus"; For example see Fig. 2A; wherein, it is obvious that the base station control unit of the 'root' base station controls its 'leaf' base stations in the hierarchical tree structure) includes the switching timing set up unit, the switching timing information changing unit, the spread code switching unit ("code switch informing unit") and the control unit ("switching unit") as disclosed in Fig. 2B; for selecting and transmitting the timing information ("timing information") and new spreading code ("code information"; wherein, it is obvious that the new spreading code is the "second code" and the being used spreading code is the "first code") to the mobile station for switching the spreading codes in synch ("switching in synchronization") between the base station and the mobile station, when detecting the link quality degradation, (For example see Figs. 4, 20A-B, 25; col. 6, line 18 through col. 7, line 38); and wherein the transceiver unit of the mobile station ("mobile station") includes the switching timing set up unit, the switching timing information change detection unit, the spread code switching unit and the control unit as disclosed in Fig. 3B, for receiving the new spreading code

designation signal ("code information") containing the selected unused spreading code (For example see Figs. 4, 20A-B, 25; col. 6, lines 35-39; where, it is obvious that the selected unused spreading code is the "second code" and the 'being used' spreading code is the "first code") sent by the base station (For example see col. 6, lines 18-34); for receiving the switching timing information sent by the base station ("timing information"; For example see Figs. 4, 20A-B, 25; col. 6, line 60 through col. 7, line 3); and for switching to the newly selected spreading code ("second code") at appropriate timing (For example see Figs. 4, 20A-B, 25; col. 7, lines 4-15) for maintaining in synch between the base station and the mobile station ("switching performed in synchronization"; For example see col. 7, lines 28-38). Nakamura further discloses about the use of unique words in each frame for setting up the switching timing in prescribed frames, e.g. M and N frames (For example see Figs. 4, 6-7; col. 8, line 64 through col. 9, line 12), or using frame number (For example see Fig. 16; col. 14, lines 7-17), or using flag in each frame for period of time in boundary of frames (For example see Figs. 8-15; col. 11, lines 50-59); wherein, it is obvious the number or sequence of frames is in integer ("timing information including an integer representing the frame"). Nakamura does disclose about the method and system for using in the CDMA scheme, but fails to explicitly disclose about the "multi-rate transmission" of the CDMA. However, such implementation is known in the art.

For example, **Adachi** discloses in Figs. 1, 3, 7, 9-11 and in the respective portions of the specification about the system and method for achieving generation and selection of spreading sequences implementing in the multi-rate CDMA communications system ("multi-rate transmission"; For example see Figs. 1, 3, 7; col. 3, line 39 through col. 4, line 27; col. 5, lines

26-67) while assuring code orthogonal without interference between the users, which results in the degradation in the transmission quality.

Page 5

Thus it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the invention as taught by **Adachi**, by implement the method for using and selecting spreading sequences in the multi-rate CDMA communications system into the **Nakamura**'s CDMA scheme, with the motivation being to improve the ability to carry out the transmission with different rates for different types, without interference between users as disclosed in **Adachi**: col. 1, lines 45-48.

- Regarding claims 4 and 6, Nakamura discloses in Figs. 3A-B, 2A-B, 4, 20A-B, 25 and in the respective portions of the specification about the method and apparatus for switching radio link in the mobile communication employing code division multiple access 'CDMA' for radio access between base station and mobile station (For example see Abstract; col. 5, lines 10-30); wherein each base station's transceiver unit ("base station") under the control of the base station control unit ("base station controlling apparatus"; For example see Fig. 2A; wherein, it is obvious that the base station control unit of the 'root' base station controls its 'leaf' base stations in the hierarchical tree structure) includes the switching timing set up unit, the switching timing information changing unit, the spread code switching unit ("code switch informing unit") and the control unit ("switching unit") as disclosed in Fig. 2B; for selecting and transmitting the timing information ("timing information") and new spreading code ("code information"; wherein, it is obvious that the new spreading code is the "second code" and the being used spreading code is the "first code") to the mobile station for switching the spreading codes in synch ("switching in

Page 6

Art Unit: 2661

synchronization") between the base station and the mobile station, when detecting the link quality degradation, (For example see Figs. 4, 20A-B, 25; col. 6, line 18 through col. 7, line 38); and wherein the transceiver unit of the mobile station ("mobile station") includes the switching timing set up unit, the switching timing information change detection unit, the spread code switching unit and the control unit as disclosed in Fig. 3B, for receiving the new spreading code designation signal ("code information") containing the selected unused spreading code (For example see Figs. 4, 20A-B, 25; col. 6, lines 35-39; where, it is obvious that the selected unused spreading code is the "second code" and the 'being used' spreading code is the "first code") sent by the base station (For example see col. 6, lines 18-34); for receiving the switching timing information sent by the base station ("timing information"; For example see Figs. 4, 20A-B, 25; col. 6, line 60 through col. 7, line 3); and for switching to the newly selected spreading code ("second code") at appropriate timing (For example see Figs. 4, 20A-B, 25; col. 7, lines 4-15) for maintaining in synch between the base station and the mobile station ("switching performed in synchronization"; For example see col. 7, lines 28-38). Nakamura further discloses about the use of unique words in each frame for setting up the switching timing ("timing of switching") in prescribed frames, e.g. M and N frames (For example see Figs. 4, 6-7; col. 8, line 64 through col. 9, line 12) and maintaining the frame synchronization ("timing information is used to synchronize the switch"; For example see col. 8, lines 19-22), or using frame number (For example see Fig. 16; col. 14, lines 7-17), or using flag in each frame for period of time in boundary of frames (For example see Figs. 8-15; col. 11, lines 50-59). Nakamura does disclose about the method and system for using in the CDMA scheme, but fails to explicitly disclose

about the "multi-rate transmission" of the CDMA. However, such implementation is known in the art.

For example, Adachi discloses in Figs. 1, 3, 7, 9-11 and in the respective portions of the specification about the system and method for achieving generation and selection of spreading sequences implementing in the multi-rate CDMA communications system ("multi-rate transmission"; For example see Figs. 1, 3, 7; col. 3, line 39 through col. 4, line 27; col. 5, lines 26-67) while assuring code orthogonal without interference resulting in the degradation in the transmission quality between the users.

Thus it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the invention as taught by Adachi, by implement the method for using and selecting spreading sequences in the multi-rate CDMA communications system into the **Nakamura**'s CDMA scheme, with the motivation being to improve the ability to carry out the different rate transmissions for different types, without interference between users as disclosed in Adachi: col. 1, lines 45-48.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Harris et al. (U.S.6,400,755), Blanchard et al. (U.S.5,862,132), Light et al. (U.S.6,061,337), Uchida et al. (U.S.6,532,168), Katsura et al. (JP 9-261162), Tanno et al. (U.S.6,078,572), Adachi et al. (Wideband Multi-rate DS-CDMA Mobile Radio Access, December 1997, Asia Pacific Microwave Conference, APMC '97, Vol. 1, 2-5, pages 149-152)

and **Okawa et al.** (Orthogonal Multi-Spreading Factor Forward Link for Coherent DS-CDMA Mobile Radio, October 1997, Universal Personal Communication Record, '97 Conference, 0-7803-3777-8/97 IEEE, Vol. 2, pages 618-622) are all cited to show devices and methods for improving transmission in the CDMA communication architectures, which are considered pertinent to the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tri H. Phan, whose telephone number is (571) 272-3074. The examiner can normally be reached on M-F (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Vanderpuye can be reached on (571) 272-3078.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 872-9314

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office, whose telephone number is (703) 305-3900.

Application/Control Number: 10/796,011 Page 9

Art Unit: 2661

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tri H. Phan

December 7, 2004

BRIAN NGUYEN PRIMARY EXAMINER